



INDEX MAPS.

T. 3 N. R. 10 E. 2nd Mer.



T. 4 N. R. 10 E. 2nd Mer.



The figures on the lines refer to the page.

Township N. 3 North, Range N. 10 East 2^d Mer. Indiana 411
ch. 1/2

South Boundary var. 5° 50' E
East On S. boundary of Sec. 31

- 17.65 a Poplar 36 m. dist.
32.60 a Sugar 12 " "
33.00 a Brook 3 lks, wide Comes S. E.
40.00 Set of Sec. post, from which
an Elm 18 m. dist. bearing N 62° E 27 lks. dist. of
a Lym 18 " " " N 66° W 29 " "
47.50 a Brook 4 lks, wide Comes N. E.
64.40 a Beech 30 m. dist.
80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 34 m. dist. bearing N 49° W 9 lks. dist. of
a Do. 18 " " " N 77° E 29 " "
First 1/2 mile part level & part hill land timber:
Oak, Beech, Elm, Sugar &c. last 1/2 mile
rich bottom, timber Beech, Poplar &c.

East On S. boundary of Sec. 32

- 14.00 Intersected the Ohio river, set post, from which
a Lyncamore 14 m. dist. bearing N 55° W 23 lks, dist. of
a Do. 14 " " " N 34° E 32 " "
(description of this distance omitted)

East Boundary var 5° 50' E
September 5th 1806.

South On E. boundary of Sec. 1

- 13.50 an Ash 20 m. dist.
15.00 a Brook 4 lks, wide C. S. W
32.50 Intersected the Ohio, set post, from which
a Sugar tree 12 m. dist. bearing S 77° W 32 lks, dist. of
a Do. 13 " " " N 61° E 38 " "
Hilly rich land, timber Sugar, Ash &c.

North Boundary var. 5° 50' E.
Set post Cor. to townships 3 & 4 North,
Range 9 & 10 East, from which

412 S. N. R 10 E. 2^d. Mer. Indiana

ch. lhy
a D. Oak 8 in. dia. bear 18^W 10 lhy. dist. of
a Do. 9 " " " N 3^W 35 " " Thence
East On S. boundary of Sec. 31, T 4 N. R 10 E
20.00 a Brook 3 lhy. wide C. S.
22.50 a Beech 6 in. dia.
40.00 Let q. Sec. post, from which
a Beech 12 in. dia. bear 3^E 6 lhy. dist. of
a Maple 16 " " " N 52^E 31 " "
60.00 a Beech 16 " "
65.00 a Brook 5 lhy. wide Course S.
80.00 Let post cor. to Sec. 31, 32, T 4 N. R 10 E, from which
a Walnut 18 in. dia. bear N 3^W 45 lhy. dist. of
a Beech 12 " " " S 50^E 42 " "
Land level rich, timber, Oak, Hickory, Beech
Walnut &c.

East On S. boundary of Sec. 32, T 4 N. R 10 E.

27.20 a Buckeye 14 in. dia.

40.00 Let q. Sec. post, from which
a Buckeye 18 in. dia. bear N 44^W 29 lhy. dist. of
an Elm 24 " " " S 71^E 33 " "
August 29th. 1806

61.50 a Sugar 8 in. dia.

62.00 a Brook 10 lhy. wide Course S.

80.00 Let post cor. to Sec. 32, 33, T 4 N. R 10 E, from which
a Hickory 10 in. dia. bear N 65^E 16 lhy. dist. of
a Walnut 20 " " " S. 32^W 47 " "

First 1/2 mile rich rolling land Sugar, Ash &c.
last 1/2 mile Ohio river bottom, timber same

East On S. boundary of Sec. 33, T 4 N. R 10 E

5.00 a Creek 40 lhy. wide Course S.

7.80 a Sugar 10 in. dia.

30.00 a Gut South

32.00 a Do. Do.

32.38 a Honey Locust 30 in. dia.

T3 N R10 E. 2nd Mer. Indiana

ch. 1/4

- 40.00 Set of Sec. post, from which
a Maple 20 in. dia. beam N74W20 lbs. dist. of
a Pop. 18 " " " N48E15 " "
42.00 a Brook 20 lbs. wide Course N.
45.00 a Do 20 " " " S
51.60 a Beech 24 in. dia.
80.00 Set post Cor. to Sec. 33 & 34, T4 N R10 E, from which
a Poplar 16 in. dia. beam N61W21 lbs. dist. of
a Beech 24 " " " N85E47 " "
First rate bottom timbered with Sugar, Walnut, Ash &c

East On S. boundary of Sec. 34, T4 N R10 E.

- 40.00 Set of Sec. post, from which
a Sugar 17 in. dia. beam South 5 lbs. dist. of
a Do. 6 " " " N29E19 " "
48.90 a Beech 24 " "
80.00 Set post Cor. to Sec. 34 & 35, T4 N R10 E, from which
a Beech 9 in. dia. beam N76W16 lbs. dist. of
a Do. 30 " " " N70E48 " "
First part river bottom, timber Beech, Sugar,
Buckeye - last level rich upland, Sugar, Beech, Ash,

East On S. boundary of Sec. 35, T4 N R10 W.

- 12.90 a Buckeye 25 in. dia.
23.20 a Beech 24 " "
40.00 Set of Sec. post, from which
a Beech 16 in. dia. beam N76W30 lbs. dist. of
a Buckeye 12 " " " N50E28 " "
48.00 a Brook 3 lbs. wide C.S. N.W. kept up it
55.00 leave the brook C.S. N.
55.90 a Sugar tree 6 in. dia.
80.00 Set post Cor. to Sec. 35 & 36, T4 N R10 E, from which
a Sugar 5 in. dia. beam N81W24 lbs. dist. of
a Do. 12 " " " N79E35 " "
First 1/2 mile rich bottom, Sugar, Beech, Ash, &c. last
1/2 mile part bottom & part very high hills, the same.

414

T3 N. R10 E. 2^d. Mer. Indiana

ch. lth

East On S. boundary of Sec. 36, T4 N. R10 E.

10.00 at Brook 3 lth. wide Cr. S. W.

26.30 at Beech 18 m. dist.

40.00 Set of Sec. post, from which

at Beech 10 m. dist. bear N43 E 11 lth. dist. of

a Do. 36 " " " N75 W 37 " "

55.00 a Brook 4 lth. wide Course S. E.

66.00 a Do. 4 " " S.

80.00 Set post cor. to Township 3 & 4 North, of

Range 10 & 11 East, from which

a Gum 14 m. dist. bear S26 W 11 lth. dist. of

an Ash 14 " " " N6 E 12 " "

20 ch. of 1 1/2 mile steep hill side residue level

last 1/2 mile rich hills, timber Sugar, ash, Beech
Walnut &c

West Boundary. var. 5.50! E.

South On E. boundary of Sec. 1, T3 N. R9 E.

33.22 a W. Oak 14 m. dist.

40.00 Set of Sec. post, from which

a W. Oak 15 m. dist. bear N60 E 33 lth. dist. of

a Hickory 12 " " " S12 E 18 " "

55.00 a W. Oak 20 " "

68.65 a Sugar 16 " "

78.50 a Brook 10 lth. wide Course S. E.

80.00 Set post cor. to Sec. 1 & 12, T3 N. R9 E, from which

a Walnut 18 m. dist. bear N76 W 6 lth. dist. of

at Beech 10 " " " N43 E 15 "

Rich level land, timber Oak, Beech, Poplar &c

South On E. boundary of Sec 12, T3 N. R9 E

10.50 at Brook 4 lth. wide Course E

36.36 a Poplar 28 m. dist.

40.00 Set of Sec. post, from which

at Beech 10 m. dist. bear N38 E 18 lth. dist. of

a Do. 16 " " " S29 E 50 " "

S3 N. R10 E. 2^d. Mer. Indiana 415

ch. 4th

- 59.50 a Poplar 12 m. dia.
 72.00 a Brook 10 lks. wide Course E.
 80.00 Set post Cor. to Sec. 12 & 13, T3 N. R9 E, from which
 a Beech 14 m. dia. bray N 61 W 8 lks. dist. of
 a Do. 9 " " " S 78 E 23 " "
 Part level & part hilly rich land, timber Ash,
 Poplar, Beech, Sugar &c.

South On E. boundary of Sec. 13, T3 N. R9 E

- 32.50 an Ash 16 m. dia.
 40.00 Set q. Sec. post, from which
 a Buckeye 18 m. dia. bray S 49 E 7 lks. dist. of
 a Beech 14 " " " S 47 W 8 " "
 58.00 a Brook 10 lks. wide Course S. E.
 60.00 a Do 10 " " " S. W.
 65.00 a Beech 24 m. dia.
 78.50 a Brook 20 lks. wide Course E.
 80.00 Set post Cor. to Sec. 13 & 24, T3 N. R9 E from which
 an Elm 16 m. dia. bray N 31 E 19 lks. dist. of
 a Hickory 9 " " " S 79 W 60 " "
 First 1/2 mile part hill & part river bottom - last 1/2
 all river bottom, timber Sugar, Ash, Elm, Beech
 Buckeye &c.

South On E. boundary of Sec. 24, T3 N. R9 E.

- 23.50 an Ash 16 m. dia.
 40.00 Set q. Sec. post, from which
 a Beech 10 m. dia. bray N 83 E 22 lks. dist. of
 a Buckeye 15 " " " S 81 W 25 " "
 50.00 Begin to ascend the River hill
 64.50 a Lyrn 24 m. dia.
 70.00 to the top of the hill
 80.00 Set post Cor. to Sec. 24 & 25, T3 N. R9 E, from which
 a R. Oak 20 m. dia. bray N 18 E 20 lks. dist. of
 an Ash 15 " " " S 56 W 19 " "
 First 1/2 mile river bottom - last 1/2 mile part bottom

416 S 3 N R 10 E, 2^d. Mer. Indiana
Ch. H. H.

and part rich hill land timber Beech, Sugar
Ash, Buckeye &c. Sept. 1886

South On E. boundary of Sec. 25, S 3 N, R 9 E.
23.00 a Brook 15 lks. wide C. & E.

40.00 Set of Sec. post from which
a Beech 12 in. diam. (bray) N 42 E 26 lks. dist. of
a No. 9 " " " West 28 " "

67.50 a Maple 14 " "

80.00 Set post cor. to Sec. 25 & 36, S 3 N, R 9 E, from which
a W. Oak 36 in. diam. (bray) N 36 W 26 lks. dist. of
a No. 15 " " " N 15 E 30 " "

First 1/2 level good Oak land, last 1/2 poor level
Oak land

South On E. boundary of Sec. 36, S 3 N, R 9 E

26.00 a Hickory 24 in. diam.

40.00 Set of Sec. post, from which
a W. Oak 16 in. diam. (bray) North 23 lks. dist. of
a No. 18 " " " S 9 E 43 " "

46.50 a Brook 10 lks. wide C. & S. E.

56.00 a W. Oak 16 in. diam.

62.00 a Brook 3 lks. wide C. & E.

80.00 Set post Cor. to Township 2 of 3 North, of
Range 9 of 10 East, from which
a Hickory 24 in. diam. (bray) S 22 W 23 lks. dist. of
a Locust 18 " " " N 48 E 42 " "

Very hilly & Rocky timber Oak, Beech & Cedar

Surveyed in 1886 by

Alexander Holmes,

Deputy Surveyor

Subdivision

South Between Sec. 1 & 2

2.62 a Brook 10 lks. wide Course S. W.

17.25 a White Ash 12 in. diam.

T3N R10E. 2^d. Mer. Indiana

417

Ch² lth

24.25 a Brook 15 lth. wide course S.E.

37.25 Intersected the Ohio river at a Beech 9 in. dia. from which Hickory 18 in. dia. bears S 62 E 4 lth. dist. &

a Beech 6 " " " N 42 1/2 W 13 " "

first 20 chains Hilly & poor - the remainder level 2nd.
note - timber Beech Sugar Ash &c. undergth Spice -

South Between Sec. 2 & 3

5.37 a Beech 36 in. dia.

25.29 Intersected the Ohio river. Set post from which a Sugar 7 in. dia. bears N 65 E 3 lth. dist. &

a Hickory 12 " " " S 89 W 10 " "

Land level and good timber Beech Sugar Poplar
undergrowth some Spice -

South Between Sec. 3 & 4

4.86 Intersected the Ohio river set post. from which a Poplar 24 in. dia. bears N 65 E 21 lth. dist. &

an Ash 20 " " " S 60 W 39 " "

Level Land and rich - timber Beech, Sugar, Ash,
undergrowth Spice &c.

South Between Sec. 4 & 5.

12.53 a W. Oak 22 in. dia.

14.05 a Maple 30 " " "

19.20 a Brook 30 lths, wide course S. W.

20.50 Intersected the Ohio river at E. bank of Creek Set post from which

an Elm 16 in. dia. bears S 86 1/2 E 53 lth. dist. &

a Sycamore 6 " " " N 3° 30' W 35 " "

Land level &c. rich - timber Beech Maple

South Between Sec. 5 & 6

14.00 a Brook 14 lth. wide Course S.E.

16.17 a Hackberry 20 in. dia.

23.50 a B. Oak 36 " " "

Ch. Lk.

- 40.00 Set of Sec. post. from which
a Beech 36 in. dia. bears S 74 E 28 lks. dist. &
a No. 40 " " " N 76 W 63 " "
- 44.38 a W. Ash 15 " "
- 54.70 a Brook 8 lks. wide course S. W.
- 68.60 a No. 4 " " " S. W.
- 77.40 a W. Hickory 13 in. dia.
- 80.00 Set post Cor. to Secs. 5, 6, 7 & 8, from which
a Sugar 8 in. dia. bears N 1 W 2 lks. dist. &
a No. 8 " " " S 19 E 25 " "
Land Hilly Stony & poor timber Oak Sugar Beech
undergrowth Spice &

West On Random between Secs. 6 & 7

- 40.00 Set temp. of Sec. post
- 104.70 a Brook 10 lks. wide course S. 20 E.
- 75.00 a No. 10 " " " S 60 E.
- 79.68 Intersected the W. boundary 20 lks. N. of post.
first post Hilly - last post level. Land - timber
Beech Sugar Poplar &c.

East Corrected between Secs. 6 & 7

- 10.35 a Beech 17 in. dia.
- 35.75 a Poplar 48 " "
- 39.84 Set of Sec. post. at average dist. from which
a Beech 13 in. dia. bears S 70 W 12 lks. dist. &
a No. 16 " " " N 37 E 24 " "
- 48.00 a Buckeye 12 " "
- 79.68 to Section Corner. Oct. 22nd. 1886

South Between Secs. 7 & 8

- 4.80 to the top of a Cliff of rocks.
- 18.73 Intersected the Ohio river. Set post, from which
a Maple 18 in. dia. bears N 77 E 8 lks. dist. &
a H. Locust 9 " " " S 53 W 45 lks. "
Land broken & poor river Hills.

419

T³ N 12 10 E. 2^d Mer. Indiana

Ch^l l^y

East Between Sect. 5 & 8
 2.40 to the top of a Cliff of rocks Ohio Hill
 10.88 Intersected the Ohio river. W. Oak 30 in. dia. Stand for
 the corner, from which -
 a B. Oak 7 in. dia. bears N 9 W 23 lb. dist. 4
 Land rocky a poor river Hill

East Between Sect. 7 & 18
 2.42 a Buckeye 24 in. dia.
 19.90 a Beech 24 " "
 34.90 a Brook 10 lb. wide Course S. E.
 35.20 an Elm 24 in. dia.
 36.50 Intersected the Ohio river, Set post, from which
 a Sugar 10 in. dia. bears N 25 E 29 lb. dist. 4
 a Hickory 8 " " " S 12 W 12 " "
 from the Hill - level rich bottom - timber Beech, Sugar,
 Buckeye &c. undergrowth Spice -

East Between Sect. 18 & 19
 2.30 a Brook 10 lb. wide course N. W. runs with line
 Cropping it several times 7.90 lb. thence S. E.
 16.94 a Buckeye 13 in. dia.
 19.50 Intersected the Ohio river. Set post, from which
 a Sugar 8 in. dia. bears S 15 W 19 lb. dist. 4
 a Walnut 6 " " " N 36 E 4 " "
 Land level and rich - timber Beech Sugar Elm &c.
 undergrowth Spice papaw &c.

East Between Sect. 19 & 30
 24.75 a Brook 10 lb. wide course S.
 25.80 Intersected the Ohio river Set post, from which
 a Beech 18 in. dia. bears S 22 E 11 lb. dist. 4
 a B. Locust 5 " " " N 34 E 17 " "
 Land Hilly - timber Beech Oak Sugar &c.
 October 23rd 1806.

Sgt. V. C. E. 2nd Mer. Indiana

ch. l. l. l.

East On Random between Sec. 30 & 31

21.84 a Hickory 11 in. dia.

36.83 a Beech 15 " "

40.00 Set g. Sec. post, from which
a Beech 18 in. dia. bears S 19 E 38 l. dist. &
a Poplar 18 " " " N 28 W 25 " "76.75 Intersected the Ohio river, Set post, from which
a Linn 6 in. dia. bears N 16 W 10 l. dist. &
a Sugar 15 " " " S 8 1/2 - 23 " "
Land except the river Hills level - timber Beech
Sugar Oak Hickory &c.

North Between Sec. 31 & 32.

2.42 a Beech 22 in. dia.

20.50 a Brook 10 l. wide course S. E.

40.00 Set g. Sec. post, from which
a S. Gum 20 in. dia. bears N 78 W 17 l. dist. &
a W. Ash 6 " " " N 71 E 8 " "

45.95 a Brook 10 l. wide course S. E.

70.75 a Beech 36 in. dia.

72.25 Intersected the Ohio river Set post, from which
a B. Walnut 30 in. dia. bears N 9 E - l. dist. &
an Ash 24 " " " S 13 1/2 E 19 " "
Land level 2nd rate Bottom - timber Beech Sugar
Oak Ash &c. undergrowth SpiceCommenced Meandering the Ohio river from post
in South boundary, 120 l. E. of Meander post
thence up stream in Sec. 32.

N 1 W 7.18 a Brook 15 l. wide

N 5 1/2 W 24.24

N 13 1/2 W 21.00

N 15 1/2 W 13.24

N 19 1/4 W 7.47

N 22 W 1.68 to line between Sec. 31 & 32
S 72 W 88 l. to post

421

S. N. E. D. Mer. Indiana

ch. 1/2		
N 22 W	7.40	to line between Sec. 30 & 31, bear
		S 72 W 96 lks. to post
N 22 W	15.00	in Sec. 30
N 30 W	11.28	
N 34 1/2 W	15.31	a Brook 7 lks. wide from N.
N 37 1/2 W	22.14	
N 29 W	13.58	top of bank Dist. 218 lks.
N 43 W	5.00	a Brook from N.W.
N 43 W	10.70	(river) bank Dist 70 lks.
N 27 W	1.25	a Brook 10 lks. wide from N.W.
N 27 W	7.03	to line between Sec. 19 & 30 bear
		S 73 W 123 lks. to post.
N 21 W	10.48	in Sec. 19
N 10 1/2 W	23.13	
N 2 W	19.38	
N 5 E	12.50	a water course from N. E. (say N. W.)
N 5 E	14.71	bank dist. 80 lks.
N 10 E	12.57	post on line between Sec. 18 & 19 bear
		S 84 W 190 lks.
N 10 E	34.10	in Sec. 18
N 15 E	19.00	
N 13 E	10.14	
N 10 E	10.50	a water course 12 lks. from N.W.
N 10 E	17.97	post on line between Sec. 7 & 18, bear
		S 85 W 49 lks.
N 25 1/2 E	16.75	in Sec. 7
N 37 1/2 E	18.48	
N 41 E	10.07	
N 36 E	12.30	
N 37 1/2 E	16.70	post on line between Sec. 7 & 8 bear
		N 53 W 33 lks. dist.

422

Twp 3 N R 10 E 2^d Mer. Indiana

Course distance

N37E 4.78 mi Sec. 8

N32E 6.85

N29E 9.89 post on line between Secs. 5 & 8 bearing
N46W 95 ch. dist. Oct. 24th 1886

N25E 10.31 mi Sec. 5

N34E 21.47

N47E 7.86

N35E 9.68

N63E 21.96

N68E .65 a water course from N.

N68E 5.75

N57E 9.10

N61E 6.70 post on line between Secs. 4 & 5 bearing
N8E 177 ch. Mouth of a Creek

N74E 11.66 mi Sec. 4

N67E 18.10

N75E 6.00 a water course from N.

N75E 12.65

N85E 31.29

N85E 7.75 post on line between Secs. 3 & 4 bearing
North 200 ch.

N80E 22.15 mi Sec. 3.

N73E 26.37

N74½E 32.93 post on line between Secs. 2 & 3 bearing
N15½E 236 ch. dist.

N73E 14.62 mi Sec. 2

N79E 14.52

N86E 17.36

N82½E 12.19

N85E 22.36 post on line between Secs. 1 & 2 bearing
North 294 ch. dist.

T3N-R10E-2^d Mer. Indiana

423

course distance

183 E 8.28 in Section 1

East 24.55

N85E 9.52

N88E 18.36

N86E 8.27

N79E 5.66 a water Course from N

N61E 7.20 post in E. boundary of T3N-R10E.
by N15W 240th dist. Oct 25th 1806

Surveyed By

John Brownson,
Deputy Surveyor

Note- From the manner in which the foregoing
notes were taken, it is evident that they were run
on the River Beach—

Transcriber

I certify that the foregoing transcript of field notes of
Township N^o 3 North, Range N^o 10 East 2^d Mer.
Indiana, has been compared with the original notes
in this Office and found to be correct.

Surveyor General's Office
Cincinnati, Nov. 18, 1842

William Johnston
Sur. Genl.

Comp.